



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0234 TDS-1

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: SOLUTION S0234 TDS-1

DESCRIPTION: TDS-1, dilute citric acid and phenolphthalein in water and denatured ethanol

NFPA 704M/HMIS RATING: 1/1 HEALTH 3/3 FLAMMABILITY 0/0 REACTIVITY 0 OTHER
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation has identified the following chemical ingredient(s) as hazardous under OSHA's Hazard Communication Rule, 29 CFR 1910.1200. Consult Section 14 for the nature of the hazard(s).

INGREDIENT(S)	CAS #	APPROX. %
Ethanol-denatured	64-17-5	50

SECTION 3 PRECAUTIONARY LABEL INFORMATION

WARNING: FLAMMABLE. Keep away from heat, sparks and flame. May cause irritation to skin and eyes. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Do not take internally. Keep container closed when not in use.

SECTION 4 FIRST AID INFORMATION

EYES: Immediately flush for at least 15 minutes while holding eyelids open. Call a physician at once.

SKIN: Immediately flush with water for at least 15 minutes. For a large splash, flood body under a shower. Call a physician at once.

INGESTION: Induce vomiting. Give water. Call a physician at once.

INHALATION: Remove to fresh air. Treat symptoms. Call a physician at once.

NOTE TO PHYSICIAN: No specific antidote is known. Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.

CAUTION: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0234 TDS-1

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTE(S) OF EXPOSURE: Eye, Skin, Inhalation

EYE CONTACT: May cause irritation with prolonged contact.
SKIN CONTACT: May cause irritation with prolonged contact.
INGESTION: Can cause blindness. Can cause central nervous system depression, nausea, dizziness, vomiting or unconsciousness depending on the length of exposure and on the first aid action given. Can be harmful.
INHALATION: Prolonged inhalation of mist or vapor may cause nausea, dizziness, light-headedness, vomiting or unconsciousness depending on the length of exposure and the first aid action given.

SYMPTOMS OF EXPOSURE: A review of available data does not identify any symptoms from exposure.

AGGRAVATION OF EXISTING CONDITIONS: A review of available data does not identify any worsening of existing conditions.

SECTION 6 TOXICOLOGY INFORMATION

ACUTE TOXICITY STUDIES: Acute toxicity studies have not been conducted on this product, but toxicity studies of the ingredient(s) in Section 2 have been reviewed. The results are shown below.

ACUTE ORAL TOXICITY (ALBINO RATS):

Ethanol LD₅₀ = 7,060 mg/kg

SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Colorless	FORM: Liquid	ODOR: Alcohol
SOLUBILITY IN WATER: Soluble		
pH (NEAT) = Slightly acidic		
FLASH POINT: 76 Degrees F (TCC)		ASTM D-56

NOTE: These physical properties are typical values for this product.

SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: 76 Degrees F (TCC) ASTM D-56

EXTINGUISHING MEDIA: Based on the NFPA guide, use dry chemical, alcohol foam, carbon dioxide or other extinguishing agent suitable for Class B fires. Use water to cool containers exposed to fire. For large fires, use water spray or



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0234 TDS-1

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 8 FIRE AND EXPLOSION INFORMATION

(CONTINUED)

fog, thoroughly drenching the burning material.

UNUSUAL FIRE AND EXPLOSION HAZARD: Treat like an alcohol fire, flammable liquid.

SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: Avoid contact with strong oxidizers (eg. chlorine, peroxides, chromates, nitric acid, perchlorates, concentrated oxygen, permanganates) which can generate heat, fires, explosions and the release of toxic fumes.

STORAGE: Do not store near ignition sources.

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion CO, CO₂ may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

SECTION 10 PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: Respiratory protection is not normally needed.

VENTILATION: General ventilation is recommended. Additionally, local exhaust ventilation is recommended where vapors, mists or aerosols may be released.

PROTECTIVE EQUIPMENT: Wear gloves and safety glasses.

The availability of an eye wash fountain and safety shower is recommended.

SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR TELEPHONE NUMBER (708-920-1510)

SPILL CONTROL AND RECOVERY:

Small liquid spills: Contain with absorbent material, such as clay, soil or any commercially available absorbent. Combine with ignitable plant wastes.

Keep the spill away from heat, sparks, flames and welding operations.

DISPOSAL: If this product becomes a waste, it meets the criteria of a hazardous waste as defined under the Resources Conservation and Recovery Act (RCRA) 40 CFR 261. Hazardous Waste D001.

Combine with other plant ignitable wastes for disposal. Can be incinerated in



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0234 TDS-1

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 11 SPILL AND DISPOSAL INFORMATION

(CONTINUED)

accordance with local, state and federal regulations.

Empty product containers should be punctured, if plastic, and placed in the garbage collection containers.

SECTION 12 ENVIRONMENTAL INFORMATION

If released into the environment, see CERCLA in Section 14.

SECTION 13 TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME/HAZARD CODE - FLAMMABLE LIQUID, N.O.S.
FLAMMABLE LIQUID UN 1993
CONTAINS - ETHANOL

SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.

FEDERAL REGULATIONS:

OSHA'S HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:
Based on our hazard evaluation, the following ingredient in this product is hazardous and the reason is shown below.

Ethanol - Flammable

Ethanol = TWA 1,000 ppm, 1,900 mg/m³ ACGIH/TLV

Ethanol = TWA 1,000 ppm, 1,900 mg/m³ OSHA/PEL

CERCLA/SUPERFUND, 40 CFR 117, 302:
Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986
(TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):
This product does not contain ingredients listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS
(40 CFR 370):

Our hazard evaluation has found this product to be hazardous. The product



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0234 TDS-1

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 14 REGULATORY INFORMATION

(CONTINUED)

should be reported under the following EPA hazard categories:

- XX Immediate (acute) health hazard
- Delayed (chronic) health hazard
- XX Fire hazard
- Sudden release of pressure hazard
- Reactive hazard

Under Section 311, submittal of MSDS's or a list of product names to the local emergency planning commission, state emergency response commission and local fire department is required after October 17, 1987 if you have:

- 10,000 pounds or more of a hazardous substance, or
- 500 pounds or the threshold planning quantity, whichever is less, of an extremely hazardous substance.

After October 17, 1989, MSDS(s), or a list of product names for all hazardous substances between zero (0) and 10,000 pounds, not previously reported, must be submitted.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product does not contain ingredients (at a level of 1% or greater) on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D:

If this product becomes a waste, it does meet the criteria of a hazardous waste as defined under RCRA 40 CFR 261 (consult Section 11).

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15

(formerly Sec. 307), 40 CFR 116 (formerly Sec. 311):

None of the ingredients are specifically listed.

CLEAN AIR ACT, 40 CFR 60, SECTION 111, 40 CFR 61, SECTION 112:

This product contains the following ingredients covered by the Clean Air Act:

Ethyl alcohol - Section 111

STATE REGULATIONS:



MATERIAL SAFETY DATA SHEET

PRODUCT: SOLUTION S0234 TDS-1

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 14 REGULATORY INFORMATION

(CONTINUED)

CALIFORNIA PROPOSITION 65:

None of the chemicals on the current Proposition 65 list are known to be present in this product.

MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

STATE RIGHT TO KNOW LAWS:

Regulated in those states using the TLV for ethanol as a criteria for listing.

SECTION 15 ADDITIONAL INFORMATION

None

SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.

SECTION 17 BIBLIOGRAPHY

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J., Klaassen, C. D., and Admur, M. O., eds., Macmillian Publishing Company, Inc., N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977.



MATERIAL SAFETY DATA SHEET

PRODUCT SOLUTION S0234 TDS-1

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 17 BIBLIOGRAPHY

(CONTINUED)

PATTY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.

PREPARED BY: Ricky A. Stackhouse PhD., Toxicologist

DATE CHANGED: 05/23/89

DATE PRINTED: 10/06/90



MATERIAL SAFETY DATA SHEET

PRODUCT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)
